

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Plants for CHROMIUM

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Taraxacum officinale</i>	Leaf	0.2	50.0	3.6279964032474075	--
<i>Stevia rebaudiana</i>	Leaf		39.0	2.6875318448378573	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Cymbopogon citratus</i>	Plant		37.0	2.5858242812916004	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Elytrigia repens</i>	Plant		37.0	2.5858242812916004	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Prunus persica</i>	Bark		35.0	2.748629217319038	--
<i>Hordeum vulgare</i>	Stem		31.0	3.464002072370349	--
<i>Trachyspermum ammi</i>	Fruit	30.0	31.0	3.846568599917927	--
<i>Elettaria cardamomum</i>	Fruit	20.5	29.5	3.6358814153792958	--
<i>Agathosma betulina</i>	Leaf		29.0	1.832564064465539	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Barosma betulina</i>	Leaf		29.0	1.832564064465539	--
<i>Coriandrum sativum</i>	Seed		28.8	3.513354178720076	--
<i>Rhodymenia palmata</i>	Plant		27.0	1.653691298658407	--
<i>Dioscorea</i> sp.	Root		26.0	4.622166367401214	--
<i>Petasites japonicus</i>	Plant	20.0	23.0	1.2808381056051297	Chem. & Pharm. Bull. 38: 2205.
<i>Artemisia vulgaris</i>	Plant	11.0	22.0	1.1876248073418103	Chem. & Pharm. Bull. 38: 2205.
<i>Viburnum opulus</i>	Bark		21.0	1.416729279304621	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Lactuca sativa</i>	Leaf	0.005	20.0	1.0630930621304524	--
<i>Polystichum polyblepharum</i>	Plant	4.0	20.0	1.0011982108151716	--
<i>Zingiber officinale</i>	Rhizome	6.0	20.0	1.0	--
<i>Echinacea</i> spp	Root		19.0	3.226984382736168	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Viscum album</i>	Leaf		19.0	0.9775962840932205	--
<i>Sinapis alba</i>	Seed		18.6	2.027317456625089	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Cucurbita pepo</i>	Seed		17.0	1.7942136570807767	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Chrysanthemum parthenium</i>	Plant		17.0	0.7215583160252136	--
<i>Crataegus rhipidophylla</i>	Fruit		17.0	1.8801548775573675	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Mentha pulegium</i>	Plant		17.0	0.7215583160252136	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Myristica fragrans</i>	Seed		16.4	1.7067997322516597	--
<i>Boehmeria nivea</i>	Plant		16.0	0.6283450177618943	--
<i>Peucedanum decursivum</i>	Plant	9.0	16.0	0.6283450177618943	--
<i>Carum carvi</i>	Fruit		15.5	1.6694676930187362	--
<i>Carum carvi</i>	Seed		15.5	1.5756788450079844	--
<i>Cinnamomum verum</i>	Leaf		14.4	0.5843111051219538	--
<i>Fallopia japonica</i>	Plant	8.0	14.0	0.44191842123525565	Chem. & Pharm. Bull. 38: 2205.
<i>Papaver somniferum</i>	Seed		13.4	1.269730108106075	--
<i>Myristica fragrans</i>	Aril		13.2		--
<i>Zea mays</i>	Silk Stigma Style		13.0		--
<i>Chondrus crispus</i>	Plant		12.0	0.255491824708617	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Rhus glabra</i>	Stem	0.0	10.05	0.6095494054596879	--
<i>Cypripedium pubescens</i>	Root		10.0	1.4331789738811076	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Cinnamomum verum</i>	Bark	2.0	10.0	0.3702364708647218	--
<i>Juglans nigra</i>	Hull Husk		9.0		--
<i>Vitis vinifera</i>	Stem		9.0	0.4664861453042604	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Brassica oleracea var. capitata l.</i>	Leaf	0.001	8.7	0.09697947030973238	--
<i>Cuminum cyminum</i>	Fruit		8.4	0.6722150195358815	--
<i>Cuminum cyminum</i>	Seed		8.4	0.5412807345301005	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Liquidambar styraciflua	Leaf	0.08	8.2	0.05423108129111646	--
Symphytum officinale	Root		8.0	1.03455549691094	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
Nyssa sylvatica	Leaf	0.0	6.37	-0.10222802251701768	--
Symphoricarpos orbiculatus	Stem	0.27	6.16	0.07953408926482017	--
Curcuma longa	Rhizome		6.0	-1.0	--
Chamaemelum nobile	Flower		6.0	1.4663135101446323	--
Carya glabra	Shoot	0.04	5.5	1.7684422472724894	--
Hibiscus sabdariffa	Flower	0.6	5.4	1.1789575691255427	--
Quercus alba	Stem	0.06	5.32	-0.03491651885952137	--
Spirulina spp.	Plant		5.0	-0.39700126313461825	--
Syzygium aromaticum	Fruit	3.0	5.0	0.19465740124831715	--
Syzygium aromaticum	Flower	3.0	5.0	0.9873869417794828	--
Phaseolus lunatus	Seed	0.0	5.0	0.045935160498438064	--
Pimenta dioica	Plant		5.0	-0.39700126313461825	--
Foeniculum vulgare	Fruit	4.0	5.0	0.19465740124831715	--
Phaseolus vulgaris	Seed	0.051	4.9	0.03136617302691837	--
Allium cepa	Seed		4.8	0.016797185555398934	--
Gymnema sylvestre	Leaf	0.9	4.5	-0.26210699744664134	--
Nyssa sylvatica	Stem	0.0	4.4	-0.16026718490046687	--
Allium cepa	Bulb	0.057	4.0	1.0	--
Glechoma hederacea	Plant	3.0	4.0	-0.49021456139793756	Chem. & Pharm. Bull. 38: 2205.
Urtica dioica	Leaf	0.8	3.9	-0.3134050642689804	--
Avena sativa	Plant	0.9	3.9	-0.4995358912242695	--
Erythroxylum coca	Leaf	3.5	3.8	-0.3219547420727036	--
Galega officinalis	Leaf		3.7	-0.33050441987642687	Bisset, N.G., ed. 1994. Herbal Drugs and Phytopharmaceuticals. CRC Press. Boca Raton, FL. 566 pp.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Vigna unguiculata</i>	Seed	0.0	3.6	-0.15803066410283484	--
<i>Vigna unguiculata</i>	Seed	0.0	3.6	-0.15803066410283484	--
<i>Liquidambar styraciflua</i>	Stem	0.04	3.6	-0.26926776406650654	--
<i>Capsicum frutescens</i>	Fruit	3.0	3.5	-0.01602978329031414	--
<i>Piper nigrum</i>	Fruit	3.0	3.5	-0.01602978329031414	--
<i>Armoracia rusticana</i>	Root	0.6	3.5	0.13765284526356406	--
<i>Quercus rubra</i>	Stem	0.06	3.3	-0.3101429812537715	--
<i>Juniperus communis</i>	Fruit	1.0	3.2	-0.0581672201980405	--
<i>Parthenium integrifolium</i>	Root	0.5	3.2	0.07785933163506226	--
<i>Trifolium pratense</i>	Flower	0.6	3.2	0.1253191187222141	--
<i>Turnera diffusa</i>	Leaf	0.7	3.1	-0.38180248669876593	--
<i>Carthamus tinctorius</i>	Flower	0.4	3.1	0.07742646188569892	--
<i>Lycopersicon esculentum</i>	Fruit	0.0	3.0	-0.08625884480319124	--
<i>Ginkgo biloba</i>	Leaf	0.7	2.9	-0.39890184230621223	--
<i>Prunus serotina</i>	Leaf	0.0	2.88	-0.400611777866957	--
<i>Brassica rapa</i>	Seed		2.8	-0.27458256387499086	--
<i>Nepeta cataria</i>	Plant	0.3	2.7	-0.6113918491402526	--
<i>Senna alexandrina</i>	Leaf	0.6	2.7	-0.4160011979136587	--
<i>Carya ovata</i>	Shoot	0.05	2.7	0.08421153558440407	--
<i>Diospyros virginiana</i>	Stem	0.0	2.7	-0.3918934156283009	--
<i>Juniperus virginiana</i>	Shoot	0.08	2.64	0.048120877476802486	--
<i>Dioscorea villosa</i>	Root	0.6	2.6	-0.04172769562194169	--
<i>Sassafras albidum</i>	Stem	0.0	2.59	-0.4068809952636315	--
<i>Passiflora incarnata</i>	Flower	0.3	2.5	-0.20992947913339052	--
<i>Ruscus aculeatus</i>	Root	0.8	2.5	-0.06165886683144246	--
<i>Hydrangea arborescens</i>	Root	0.9	2.5	-0.06165886683144246	--
<i>Achillea millefolium</i>	Plant	0.4	2.5	-0.6300345087929166	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Prunus persica</i>	Fruit	0.01	2.25	-0.19160243707250688	--
<i>Equisetum arvense</i>	Plant	0.5	2.2	-0.6579984982719123	--
<i>Silybum marianum</i>	Plant		2.2	-0.6579984982719123	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Silybum marianum</i>	Leaf	0.5	2.2	-0.45874958693227463	--
<i>Sassafras albidum</i>	Leaf	0.99	2.04	-0.47242907141823176	--
<i>Arctium lappa</i>	Root	0.5	2.0	-0.1613147228789458	--
<i>Thymus vulgaris</i>	Leaf	0.3	2.0	-0.47584894253972093	--
<i>Cinnamomum sieboldii</i>	Root Bark		2.0		--
<i>Rhus copallina</i>	Leaf	0.0	1.92	-0.4826886847826995	--
<i>Echinacea purpurea</i>	Root	0.5	1.9	-0.18124589408844657	--
<i>Cnicus benedictus</i>	Plant	0.2	1.8	-0.69528381757724	--
<i>Sympythum officinale</i>	Leaf	0.2	1.8	-0.4929482981471673	--
<i>Cimicifuga racemosa</i>	Root	0.4	1.8	-0.20117706529794718	--
<i>Valeriana officinalis</i>	Root	0.2	1.8	-0.20117706529794718	--
<i>Rosa canina</i>	Fruit	0.3	1.8	-0.25480859243409615	--
<i>Schisandra chinensis</i>	Fruit	0.3	1.8	-0.25480859243409615	--
<i>Actaea racemosa</i>	Root		1.8	-0.20117706529794718	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Quercus velutina</i>	Stem	0.12	1.73	-0.524056617867124	--
<i>Eriodictyon californicum</i>	Leaf	0.4	1.7	-0.5014979759508905	--
<i>Prunus dulcis</i>	Seed	0.1	1.7	-0.43484142606170517	--
<i>Smilax spp</i>	Root	0.4	1.7	-0.2211082365074478	--
<i>Chrysanthemum parthenium</i>	Leaf	0.3	1.7	-0.5014979759508905	--
<i>Tanacetum parthenium</i>	Plant		1.7	-0.7046051474035722	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Crataegus laevigata</i>	Fruit	0.5	1.7	-0.26885440473667177	--
<i>Glycyrrhiza glabra</i>	Root	0.3	1.7	-0.2211082365074478	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Smilax officinalis</i>	Root	0.4	1.7	-0.2211082365074478	--
<i>Quercus stellata</i>	Stem	0.0	1.68	-0.5308691540650016	--
<i>Zea mays</i>	Seed	0.0	1.65	-0.442125919797465	--
<i>Carya ovata</i>	Seed		1.6	-0.44941041353322464	--
<i>Althaea officinalis</i>	Root	0.2	1.5	-0.26097057892644915	--
<i>Allium sativum</i> var. <i>sativum</i>	Bulb	0.1	1.5	-1.0	--
<i>Myrica cerifera</i>	Bark	0.3	1.5	-0.4384170629297457	--
<i>Daucus carota</i>	Root	0.005	1.5	-0.26097057892644915	--
<i>Phaseolus vulgaris</i>	Fruit	0.005	1.5	-0.2969460293418225	--
<i>Asparagus officinalis</i>	Root	0.2	1.5	-0.26097057892644915	--
<i>Allium sativum</i> var. <i>sativum</i>	Root	0.6	1.5	-0.26097057892644915	--
<i>Verbascum thapsus</i>	Leaf	0.6	1.4	-0.52714700936206	--
<i>Serenoa repens</i>	Fruit	0.2	1.4	-0.3109918416443979	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Solanum tuberosum</i>	Tuber	0.002	1.4		--
<i>Juglans cinerea</i>	Seed		1.4	-0.47854838847626374	--
<i>Sesamum indicum</i>	Seed		1.4	-0.47854838847626374	--
<i>Gentiana lutea</i>	Root	0.3	1.3	-0.30083292134545053	--
<i>Rubus idaeus</i>	Leaf	0.2	1.3	-0.5356966871657832	--
<i>Pinus echinata</i>	Shoot	0.08	1.26	-0.7819642589980401	--
<i>Rhus copallina</i>	Stem	0.05	1.22	-0.5935444870854741	--
<i>Berberis vulgaris</i>	Bark		1.2	-0.46695777588719756	--
<i>Plantago major</i>	Seed	0.4	1.2	-0.5076863634193026	--
<i>Arctostaphylos uva-ursi</i>	Leaf	0.1	1.2	-0.5442463649695065	--
<i>Caulophyllum thalictroides</i>	Root	0.1	1.2	-0.32076409255495114	--
<i>Harpagophytum procumbens</i>	Root	0.2	1.2	-0.32076409255495114	--
<i>Berberis vulgaris</i>	Root		1.2	-0.32076409255495114	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Prunus domestica</i>	Fruit	0.005	1.19	-0.3404880474798064	--
<i>Stellaria media</i>	Plant	0.1	1.1	-0.7605331263615637	--
<i>Panax ginseng</i>	Root	0.2	1.1	-0.34069526376445175	--
<i>Carica papaya</i>	Fruit	0.1	1.0	-0.3671750908546996	--
<i>Juglans nigra</i>	Seed		1.0	-0.5368243383623417	Furr, A.K., et al. 1979
<i>Centella asiatica</i>	Leaf	0.1	1.0	-0.5613457205769528	--
<i>Ulmus rubra</i>	Bark	0.2	1.0	-0.48598491785883197	--
<i>Inula helenium</i>	Root	0.2	1.0	-0.3606264349739525	--
<i>Cinnamomum aromaticum</i>	Bark		1.0	-0.48598491785883197	--
<i>Diospyros virginiana</i>	Leaf	0.0	1.0	-0.5613457205769528	--
<i>Cucumis sativus</i>	Fruit	0.002	0.98	-0.3699842533152147	--
<i>Juglans nigra</i>	Pericarp	0.1	0.9		--
<i>Stachys officinalis</i>	Plant	0.2	0.9	-0.7791757860142275	--
<i>Taraxacum officinale</i>	Root	0.1	0.9	-0.3805576061834531	--
<i>Medicago sativa</i>	Plant	0.2	0.9	-0.7791757860142275	--
<i>Quercus rubra</i>	Seed		0.9	-0.551393325833861	--
<i>Juglans nigra</i>	Fruit		0.9	-0.38122090315727497	--
<i>Angelica sinensis</i>	Root	0.2	0.9	-0.3805576061834531	--
<i>Tabebuia heptaphylla</i>	Bark	0.2	0.9	-0.4954984888446492	--
<i>Hydrastis canadensis</i>	Root	0.3	0.9	-0.3805576061834531	--
<i>Prunus serotina</i>	Stem	0.0	0.81	-0.6494072839080695	--
<i>Astragalus membranaceus</i>	Root	0.3	0.8	-0.40048877739295385	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
<i>Larrea tridentata</i>	Plant	0.3	0.8	-0.7884971158405594	--
<i>Plantago psyllium</i>	Seed	0.2	0.8	-0.5659623133053806	--
<i>Larrea tridentata</i>	Bark		0.8	-0.5050120598304665	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Phaseolus acutifolius</i>	Seed	0.45	0.76	-0.5717899082939885	--
<i>Humulus lupulus</i>	Fruit		0.7	-0.4093125277624259	Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Fucus vesiculosus</i>	Plant	0.1	0.7	-0.7978184456668914	--
<i>Corylus avellana</i>	Seed	0.08	0.7	-0.5805313007769001	--
<i>Asparagus officinalis</i>	Shoot	0.135	0.7	-1.118810401335657	--
<i>Vaccinium myrtillus</i>	Fruit		0.7	-0.4093125277624259	--
<i>Scutellaria lateriflora</i>	Plant	0.1	0.7	-0.7978184456668914	--
<i>Humulus lupulus</i>	Flower	0.1	0.7	-1.0719973021906593	--
<i>Euphrasia officinalis</i>	Plant	0.1	0.7	-0.7978184456668914	--
<i>Bertholletia excelsa</i>	Seed		0.6	-0.5951002882484197	Furr, A.K., et al. 1979
<i>Pistacia vera</i>	Seed		0.6	-0.5951002882484197	--
<i>Frangula purshiana</i>	Bark	0.2	0.6	-0.5240392018021011	--
<i>Curcuma longa</i>	Plant	0.2	0.6	-0.8071397754932234	--
<i>Zingiber officinale</i>	Root		0.6	-0.44035111981195524	--
<i>Petroselinum crispum</i>	Plant	0.1	0.6	-0.8071397754932234	--
<i>Pyrus communis</i>	Fruit	0.002	0.555	-0.42967895560116026	--
<i>Citrus paradisi</i>	Fruit	0.002	0.55	-0.43038124621628904	--
<i>Lobelia inflata</i>	Leaf	0.1	0.5	-0.6040941095955688	--
<i>Foeniculum vulgare</i>	Seed	0.1	0.5	-0.6096692757199391	--
<i>Cichorium endivia</i>	Leaf	0.3	0.48	-0.6058040451563134	--
<i>Spinacia oleracea</i>	Flower	0.01	0.42	-1.2060967413329013	ACTA AGRIC SCAND SUPPL 22: 1980
<i>Trigonella foenum-graecum</i>	Seed	0.1	0.4	-0.6242382631914585	--
<i>Citrus sinensis</i>	Fruit	0.005	0.385	-0.45355683651553846	--
<i>Vitis vinifera</i>	Fruit	0.005	0.385	-0.45355683651553846	--
<i>Rubus chamaemorus</i>	Fruit	0.01	0.38	-0.45425912713066724	--
<i>Beta vulgaris</i>	Root	0.001	0.33	-0.49416528207760696	ACTA AGRIC SCAND SUPPL 22: 1980

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Brassica pekinensis</i>	Leaf	0.285	0.315	-0.6199110135324567	--
<i>Malus domestica</i>	Fruit	0.005	0.3	-0.4654957769727276	--
<i>Carya illinoensis</i>	Seed		0.3	-0.638807250662978	--
<i>Quercus alba</i>	Bark	0.1	0.3	-0.5525799147595528	--
<i>Salvia officinalis</i>	Leaf	0.1	0.3	-0.621193465203015	--
<i>Anacardium occidentale</i>	Seed		0.3	-0.638807250662978	--
<i>Anethum graveolens</i>	Plant	0.01	0.29	-0.8360358979548524	ACTA AGRIC SCAND SUPPL 22: 1980
<i>Ribes nigrum</i>	Fruit	0.01	0.27	-0.46970952066350025	ACTA AGRIC SCAND SUPPL 22: 1980
<i>Phaseolus coccineus</i>	Seed		0.22	-0.6504624406401937	--
<i>Cocos nucifera</i>	Seed		0.2	-0.6533762381344975	Furr, A.K., et al. 1979
<i>Sorbus aucubaria</i>	Fruit	0.02	0.19	-0.4809461705055605	--
<i>Brassica oleracea var. botrytis l.</i>	Leaf	0.005	0.18	-0.6314530785674829	--
<i>Fragaria spp</i>	Fruit	0.005	0.18	-0.4823507517358181	ACTA AGRIC SCAND SUPPL 22: 1980
<i>Brassica oleracea var. italicica</i>	Leaf	0.005	0.18	-0.6314530785674829	ACTA AGRIC SCAND SUPPL 22: 1980
<i>Pisum sativum</i>	Seed	0.005	0.17	-0.6577469343759534	--
<i>Cucumis melo</i>	Fruit	0.13	0.165	-0.48445762358120437	--
<i>Musa x paradisiaca</i>	Fruit	0.02	0.15	-0.48656449542659064	ACTA AGRIC SCAND SUPPL 22: 1980
<i>Raphanus sativus</i>	Root	0.01	0.14	-0.5320345073756583	--
<i>Vaccinium vitis-idaea</i>	Fruit	0.01	0.13	-0.4893736578871058	--
<i>Ribes rubrum</i>	Fruit	0.01	0.125	-0.49007594850223457	--
<i>Brassica oleracea var. botrytis l.</i>	Flower	0.001	0.125	-1.3473800790006203	--
<i>Solanum melongena</i>	Fruit	0.1	0.12	-0.4907782391173633	--
<i>Rheum rhabarbarum</i>	Pt	0.005	0.1		--
<i>Pastinaca sativa</i>	Root	0.01	0.1	-0.5400069758594586	--
<i>Brassica napus var. napobrassica</i>	Root	0.005	0.1	-0.5400069758594586	ACTA AGRIC SCAND SUPPL 22: 1980
<i>Quercus phellos</i>	Stem	0.0	0.084	-0.7483253095012505	--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Arachis hypogaea</i>	Seed		0.08	-0.670859023100321	--
<i>Citrus reticulata</i>	Fruit	0.01	0.08	-0.4963965640383935	ACTA AGRIC SCAND SUPPL 22: 1980
<i>Ribes uva-crispa</i>	Fruit	0.002	0.08	-0.4963965640383935	--
<i>Brassica rapa</i>	Root	0.005	0.05	-0.5499725614642089	--
<i>Apium graveolens</i>	Root	0.002	0.045	-0.5509691200246839	ACTA AGRIC SCAND SUPPL 22: 1980
<i>Capsicum annuum</i>	Fruit		0.0	-0.5076332138804538	--
<i>Salix alba</i>	Bark		0.0	-0.5811206277170047	--
<i>Rumex crispus</i>	Root		0.0	-0.5599381470689592	--
<i>Yucca baccata</i>	Root				--
<i>Eleutherococcus senticosus</i>	Root				--
<i>Aloe vera</i>	Leaf				Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Ephedra sinica</i>	Plant				--
<i>Bupleurum chinense</i>	Root				--
<i>Actinidia chinensis</i>	Fruit				--
<i>Ptychopetalum olacoides</i>	Plant				Felcman, J., Braganca, M. L. T. 1988. Chromium in Plants Comparison Between the Concentration of Chromium in Brazilian Nonhypo and Hypoglycemic Plants. Biol. Trace Element Res. 17, 1: 11-16.
<i>Apium graveolens</i>	Seed				Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.
<i>Cinnamomum burmannii</i>	Bark				--
<i>Eupatorium perfoliatum</i>	Plant				--
<i>Vaccinium macrocarpon</i>	Fruit				--
<i>Amorphophallus konjac</i>	Root				--
<i>Mentha x piperita</i>	Leaf				--
<i>Aloe spp.</i>	Leaf				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Linum usitatissimum</i>	Seed				ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
<i>Elaeagnus umbellatus</i>	Fruit				--
<i>Apium graveolens</i>	Fruit				--
<i>Polygonum multiflorum</i>	Root				Pedersen, M. 1987. Nutritional Herbology. Pederson Publishing. Bountiful, Utah. 377 pp.